

## Authors

	Page
ABBAS, A. M. A., JONES, R. B., RIGBY, C. C., and ZAMAN, M. M.: Prophylactic netilmicin in surgery	260
ADMANI, A. K., and VERMA, S.: A study of sulindac versus ibuprofen in elderly patients with osteoarthritis	315
ALLIN, D. M.: Successful treatment of anxiety with a single night-time dose of chlormezanone: double-blind comparison with diazepam	33
ANTANI, J., BUCKLE, J. W., TURNER, J., and COHEN, M.: A double-blind comparison of indoramin and propranolol in the treatment of moderate to severe essential hypertension	603
AYLWARD, Mansel, BATER, Penelope A., DAVIES, David E., DEWLAND, Peter M., LEWIS, Peter A., and MADDOCK, Jeffrey: Long-term monitoring of the effects of thymoxamine hydrochloride tablets in the management of patients with Raynaud's disease	158
BARCLAY, R. P. C., MEIJHEDE, A., and NILSSON, L. B.: Long-term, low-dose treatment with pivmecillinam alone and in combination with pivampicillin in patients prone to recurrent bacteriuria	82
BELL, R., SAHAY, J. N., BARBER, P. V., CHATTERJEE, S. S., and COX, G.: A therapeutic comparison of ipratropium bromide and salbutamol in asthmatic patients	242
BIRD, H. A., BAMFORD, L., PICKUP, M. E., McEVOY, M., GALLOWAY, D. B., GASCOIGNE, E. W., JEUNET, F. S., and WRIGHT, V.: A comparison between gastrointestinal blood loss caused by tilcotil (Ro 12-0068) and aspirin in normal volunteers	9
BIRD, H. A., PICKUP, M. E., TAYLOR, P., LOWE, J. R., McEVOY, M., GALLOWAY, D. B., and WRIGHT, V.: Gastro-intestinal blood loss with high dose tilcotil (Ro 12-0068) and aspirin: an open crossover clinical trial and pharmacokinetic assessment in normal volunteers	412
BOTTER, P. A.: A comparative double-blind study of loprazolam, 1 mg and 2 mg, versus placebo in anxiety-induced insomnia	626
BOTTONE, E., BALDINI, G., MACCHIA, P., SOLDATESCHI, M., and FRIDLEVSKI, A.: Evaluation of the clinical efficacy of erythromycin, amoxicillin and co-trimoxazole in the treatment of acute respiratory tract infections in paediatric patients	67
BOURAS, N., and BRIDGES, P. K.: Bromocriptine in depression	150
BOZSOKY, Sandor, and ZAHUNENSZKY, Zille: A 3-month, double-blind study of proglumetacin and naproxen in the treatment of rheumatoid arthritis	89
BROLL, H., TAUSCH, G., THUMB, N., FRIC, A., GAISMAYER, K., and JACKWERTH, G.: Double-blind, multi-centre trial to compare a once-daily combination of trimethoprim and sulfamethopyazine with ampicillin 4-times daily in patients with urinary infections	338
BULLEN, B. R., RAMSDEN, C. H., and KESTER, R. C.: Peroperative cephradine concentrations in the gall bladder wall and bile	5
BUNDE, B., DECKERS, Y., and DEQUEKER, J.: Fentiazac in rheumatoid arthritis: comparison with sulindac and long-term tolerance	310
CARR, G., DOUGAN, M., BROOKS, P. M., and MAYCOCK, S.: Night-time indometacin in rheumatoid arthritis	197
CHATTOPADHYAY, B., HALL, I., and CURNOW, S. R.: Comparative <i>in vitro</i> activity of ticarcillin, piperacillin, azlocillin and mezlocillin	577
CHIA, B. L., EE, B., TAN, A., and CHOO, M.: The immediate hypotensive effect of oral nifedipine	139
COLLINS, Maurice P., and CHURCH, Martin K.: The effect of an anti-allergic, nasal decongestant combination ('Dimotapp') and sodium cromoglycate nose drops on the histamine content of adenoids, middle ear fluid and nasopharyngeal secretions of children with secretory otitis media	392
CONNELLY, K.: Cefotaxime ('Claforan') in routine hospital use	104
CORDINGLEY, G. J., DEAN, B. C., and HARRIS, R. I.: A double-blind comparison of two benzodiazepine hypnotics, flunitrazepam and triazolam, in general practice	714
CRISP, A. J., BUCKLAND-WRIGHT, J. C., and KAUFFMANN, E. A.: Combined treatment of post-menopausal osteoporosis: effect on muscle function and a new radiological method for assessing trabecular bone	701
DEFOORT, P., THIERY, M., MARTENS, G., and MAELE, G. Van: A double-blind trial of single-dose ciramadol for the treatment of post-episiotomy pain	481

	Page
DEGNA, C. Tommasini, ROSSETTI, O., and VIZZOTTO, L.: Bile lipid output and composition in patients fitted with external biliary drainage: activity of cicloxic acid	472
DICKSON, D. J., and ENGLISH, J. R.: A compliance study in general practice of patients switched from phenylbutazone and oxyphenbutazone to naproxen and other non-steroidal anti-inflammatory drugs	61
DIVITIIS, O. De, SOMMA, S. Di, PETITTO, M., FAZIO, S., and LIGOURI, V.: Indapamide and atenolol in the treatment of hypertension: double-blind comparative and combination study	493
DOLS, W., FREUDE, J., VERHO, M., and RANGOONWALA, B.: A double-blind study of piretanide in the treatment of hypertension	649
FALSETTI, L., VOLTOLINI, A. M., SCHIMBERNI, M., and PONTIROLI, A. E.: Treatment of hyperprolactinaemia with metergoline for periods up to 5 years: clinical and biological tolerability	327
FAMAÉY, J. P., GACI, O., and GINSBERG, F.: Fentiazac in the treatment of osteoarthritis and tendinitis	675
FERNANDEZ, P. G., KIM, B. K., GALWAY, A. B., and SHARMA, J. N.: Separation of essential hypertensive patients based on blood pressure responses after the withdrawal of antihypertensive agents by step-wise discriminant analysis	509
FERNANDEZ, P. G., KIM, B. K., REICHEK, H., KO, P., GILL, V., McDONALD, J., FURLONG, L., LEWIS, H., NOLAN, R., and McMANAMON, P.: The correlation of changes in systolic blood pressure with regional anatomical regression of left ventricular hypertrophy in patients on chronic antihypertensive therapy (>1 year): alpha-methyldopa compared to propranolol	720
FERNANDEZ, P. G., SHARMA, J. N., GALWAY, A. B., CAMPBELL, N., KIM, B. K., SNEDDEN, W., GRANTER-BUTTON, S., MACDONALD, J., and GILL, V.: Potassium conservation with amiloride/hydrochlorothiazide ('Moduret') in thiazide-induced hypokalaemia in hypertension	120
FLAVELL-MATTS, S. G., and BOSTON, Paul F.: Paracetamol plus metoclopramide ('Paramax') as an adjunct analgesic in the treatment of arthritis	547
FREDRIKSSON, Torsten, and SALDE, Lars: A double-blind trial of budesonide and betamethasone-17,21-dipropionate in psoriasis	171
FREEMAN, J. G., TURNER, G. A., VENABLES, C. W., and LATNER, A. L.: Serial use of aprotinin and incidence of allergic reactions	559
GABRIEL, Roger: Comparison of the hypotensive effects of bendrofluazide, bumetanide and xipamide	645
GASPARD, U. J., DEVILLE, J. L., and DUBOIS, M.: Clinical experience with a triphasic oral contraceptive ('Trinordiol') in young women	395
GINSBERG, F., BOURGUIGNON, R. P., SMETS, Ph., and FAMAÉY, J. P.: Tiapride versus glafenine: a double-blind comparative study in the management of acute rheumatic pain	562
GINSBERG, F., and FAMAÉY, J. P.: A double-blind, parallel trial of oxaprozin versus naproxen in the treatment of osteoarthritis	689
GNEHM, Hp. E., SEGER, R. A., and BOYLE, C. M.: The efficacy and tolerance of cefoxitin in the treatment of paediatric infections	44
GOUDEN, D., and NEWALL, R. G.: Urine specific gravity measurements: comparison of a new reagent strip method with existing methodologies, as applied to the water concentration/dilution tests	375
GOW, Peter J.: A multi-centre study of piroxicam in the treatment of osteoarthritis and rheumatoid arthritis in general practice	618
GRACE, Eileen M., MEWA, Amirudin, ROONEY, Patrick J., and BUCHANAN, W. W.: Clinical therapeutic trial of sodium meclofenamate and naproxen in rheumatoid arthritis, with comments on the use of placebos in clinical trials	417
GRÜNEBERG, R. N.: <i>In vitro</i> studies with combinations of sulfamoxole and trimethoprim (co-trifamole)	128
GUARDIOLA, F. Manero, CHILLÓN, F. GÜZMÁN, F. Rodriguez de, and VALLEJO, E. Arias: Open evaluation of the efficacy and endoscopic gastric tolerance of proglumetacin in chronic rheumatic in-patients	14
GUERRIER, C. J. W., and PORTER, D. I.: An open assessment of 0.1% dithranol in a 1% urea base ('Psoradrate 0.1%') in the treatment of psoriasis of children	446
HALLETT, C., and DEAN, B. C.: Bromazepam: acute benefit-risk assessment in general practice	683

	Page
HARROWER, A. D. B.: A double-blind study of cefaclor and amoxycillin in home and hospital-acquired infections	1
HAWARD, L. R. C.: The use of phenytoin in neurotic disorders treated in general practice	134
HOC, J.: The clinical efficacy and side-effects of mianserin and nortriptyline in depressed out-patients: a double-blind randomized trial	282
HØIVIK, Hans Olav, and MOE, Nils: Effect of a combination of orphenadrine/paracetamol tablets ('Norgesic') on myalgia: a double-blind comparison with placebo in general practice	531
HÖRNUNG, R., KEISO, H., RAFTERY, E. B., and WHITTINGTON, J. R.: Placebo-controlled trial of a combination of betamethizide and triamterene ('Hypertane') in mild or moderate hypertension	425
HUNTER, G. M.: Two-dose comparison of chlormezanone in sleep disturbance due to anxiety	22
HUSKISSON, E. C., and BRYANS, Rachel: Diclofenac sodium in the treatment of painful stiff shoulder	350
HUTCHINSON, G. H., PATEL, B. G., and DOIG, Caroline M.: A double-blind controlled trial of metronidazole suppositories in children undergoing appendicectomy	441
IBBA, G., URAS, R., and PERPIGNANO, G.: Double-blind comparison of glucametacin and ketoprofen in chronic arthropathies	321
JAFFE, Gabriel, and GRIMSHAW, Jack J.: Randomized single-blind trial in general practice comparing the efficacy and palatability of two cough linctus preparations, 'Pholcolix' and 'Actified' Compound, in children with acute cough	594
JAFFE, Gabriel, GRIMSHAW, Jack J., GAY, Joseph, and HOSSAIN, Mahmood: Do all diuretics have equal hypotensive efficacy?	75
JANKE, Phillip, WILLIAMS, Paul, WILLIAMS, Peter, and DIGGINS, Jane B.: Sulindac versus piroxicam in the treatment of osteoarthritis	434
KASANEN, Antero, NIKOSKELAINEN, Jukka, SAARIMAA, Heikki, and TOIVANEN, Paavo: Cefazidime in the treatment of urinary tract infection	266
KHALIL, Siddig Ibrahim, ZEIN, Osama El, and BELLA, M. El Mahadi: A double-blind, crossover study of acetbutolol and hydrochlorothiazide/amiloride diuretic in Sudanese patients with essential hypertension	39
KHAN, M. H., and TOMKINS, J. G.: A controlled study of mezlocillin in uncomplicated acute gonorrhoea	247
LEE, H. A., TALBOT, S., PATIL, R., JACKSON, J. M., and HOLLAND, D.: Metabolic studies with 'Nutrauxil', an enteral feed preparation	536
MACNAIR, Alexander L.: Cinnarizine in the prophylaxis of car sickness in children	451
MACONOCHEE, Judith G., and FOWLER, Patricia: Plasma concentrations of salbutamol after an oral slow-release preparation	634
MBUYI-MUAMBA, J. M., and DEQUEKER, J.: Piroxicam versus naproxen in rheumatoid arthritis	612
McKENNA, F., and DAVISON, A. M.: Effects of azeprazole on blood pressure, pulse rate, plasma renin activity and urinary catecholamines in normotensive subjects	405
MEURICE, J.: Treatment of osteoarthritis: a 3-month comparison between tiaprofenic acid and indomethacin	295
MIHINDUKULASURIYA, J., and LEE, H. A.: Effect of xipamide in oedema of renal disease with varying degrees of renal insufficiency: a comparative trial with frusemide	208
MÖLLER, Halvor, SVARTHOLM, Hans, and DAHL, Gunnar: Intermittent maintenance therapy in chronic hand eczema with clobetasol propionate and fluprednidene acetate	640
MUMMERY, R. V.: The use of netilmicin in a district general hospital	97
MUNGAVIN, J. M., and CLARKE, T. K.: A multi-centre study of tiaprofenic acid ('Surgam') and five comparative drugs in rheumatoid arthritis and osteoarthritis in general practice	461
NAUTA, I. L. D., CALSEYDE, J. van de, and HERTZBERGER, D. P.: Plasma levels of disopyramide after administration of conventional capsules and sustained-release preparations	582
NEUMAN, M. P., KURLAT, M. I. N., and NEUMAN, J.: Elevation of high density lipoprotein cholesterol (cHDL) and reduction of the total cholesterol/cHDL index in the treatment of hyperlipoproteinemia IIb and IV with bezafibrate	358

	Page
NICHOLLS, A., HAZLEMAN, B., TODD, R. M., MURRAY-LESLIE, C., KÜHNEN, H., and CAIN, A. R. R.: Long-term evaluation of naproxen suspension in juvenile chronic arthritis	204
GOSTERLINCK, W., and MINNAERT, H.: An open comparative trial of three doses of ciramadol used intravenously in renal colic	290
PARRY, E. E., YOUNG, J., and ARR, S.: Comparison of timolol/hydrochlorothiazide/amiloride ('Moducren') with cyclopentiazide/potassium in mild to moderate hypertension	253
PEREGO, M. A., SERGIO, G., ESPUREO, M., FRANCISCI, A., and ARTALE, F.: Haemodynamic and haemorheological effects of buflomedil in patients with peripheral occlusive arterial disease	178
PINES, A., RAAFAT, H., LYNN, A. H., and WHITTINGTON, J.: Clinical trial of microcrystalline hydroxyapatite compound ('Ossopan') in the prevention of osteoporosis due to corticosteroid therapy	734
PRICE, R. K. J., and LATHAM, A. N.: Double-blind comparison of meptazinol (200 mg) and dextropropoxyphene/paracetamol in a multi-centre, general practice setting	54
PRUSINSKI, Antoni, DURKO, Agnieszka, GLUSZCZ-ZIELINSKA, Anna, and SZYMANSKA, Róza: Suloctidil therapy in migraine: an open pilot study	631
RATEAU, J.-G., BLAYAC, M., MORGANT, G., AYMARD, P., and PARIER, J.-L.: Infectious diarrhoea: weakening of mucosa protection induced in rabbit ileal loops by a pathogenic <i>Escherichia coli</i>	224
RATEAU, J.-G., MORGANT, G., DROY-PRIOT, M.-T., and PARIER, J.-L.: A histological, enzymatic and water-electrolyte study of the action of smectite, a mucoprotective clay, on experimental infectious diarrhoea in the rabbit	233
REINER, Michele: Nimesulide and antibiotics in the treatment of acute infections of the respiratory tract	487
RODRIGUES, E., and LAWSON, A. A. H.: Comparison of sustained-release clonidine and long-acting propranolol in the treatment of hypertension	274
RUBIN, A. E., ALROY, G., and SPITZER, S.: The treatment of asthma in adults using sodium cromoglycate pressurized aerosol: a double-blind controlled trial	553
SALDE, L., and LASSUS, A.: Systemic side-effects of three topical steroids in diseased skin	475
SALKIND, M. R., and SILVERSTONE, Trevor: The clinical and psychometric evaluation of a new hypnotic drug, loprazolam, in general practice	368
SANTO, J. Espírito, SILVA, J. Pereira da, COSTA, J. Teixeira da, GOMES, J. Melo, and QUEIROZ, M. Viana: Double-blind evaluation of low-dose proglumetacin versus naproxen in rheumatoid arthritis out-patients	524
SHAH, S. S., JOHNSTON, D., WOODCOCK, A. A., JOHNSON, M., and GEDDES, D. M.: Breathlessness and exercise tolerance in chronic airflow obstruction: 2-hourly versus 4-hourly salbutamol by inhalation	345
SHAPIRO, L. M., COVE, D. H., TRETHOWAN, N., and NEUMANN, V.: Clinical trials of an antiplatelet agent, ticlopidine, in diabetes mellitus	518
SIDWELL, S.: A comparison of the efficacy and tolerance of an aqueous beclomethasone dipropionate nasal spray with the conventional pressurized spray	659
STEELE, Christine E., and JEFFERSON, Wendy L.: A multi-centre study of zomepirac in painful conditions: an analysis of clinical data for 15,484 patients	382
STEENIS, D. Van: A comparison of chlormezanone and temazepam in sleep disturbance	28
SVARTHOLM, H., LARSSON, L., and FREDERIKSEN, B.: Intermittent topical treatment of psoriasis with clobetasol propionate ('Dermovate')	154
TAGGART, A. J., and McDEVITT, D. G.: Diuretic withdrawal — a need for caution	501
THOMPSON, M., DAYMOND, T. J., ESSIGMAN, W. K., HUSKISSON, E. C., and WOJTULEWSKI, J. A.: Short-term efficacy and tolerance of tiaprofenic acid ('Surgam') in rheumatoid arthritis and osteoarthritis: multi-centre, placebo-controlled trials	215
TILLEARD-COLE, R. R.: A placebo-controlled, dose-ranging study comparing 0.5 mg, 1 mg and 2 mg flunitrazepam in out-patients	543
TURNER, A. S., and BROCKLEHURST, Joan C.: Comparison of efficacy of a single daily dose of 400 mg acebutolol and 100 mg atenolol in the treatment of arterial hypertension	570

	Page
VAZ, Antonio Lopes: Double-blind clinical evaluation of the relative efficacy of ibuprofen and glucosamine sulphate in the management of osteoarthritis of the knee in out-patients	145
VIOLI, F., MATTIA, G. C. De, ALESSANDRI, C., PERRONE, A., and VEZZA, E.: The effects of gliclazide on platelet function in patients with diabetes mellitus	200
VOLANS, G. N., JEFFEREYS, D., LATHAM, A. N., and FROST, T.: Pharmacokinetics of oral indoramin	51
WADE, A. G., and WARD, P. J.: A double-blind comparison of meptazinol versus paracetamol and placebo in acute and chronic painful conditions presenting to the general practitioner	191
WEITZEL, O., SEIDEL, G., ENGELBERT, S., BERKSOY, M., EBERHARDT, G., and BODE, R.: Investigation of possible interaction between pinaverium bromide and digoxin	600
WESEL, S., BOURGUIGNON, R. F., and BOSUMA, W. B.: Veralipride versus conjugated oestrogens: a double-blind study in the management of menopausal hot-flushes	696
WHEATLEY, David: Clenbuterol ('Spiropent'): a long-acting bronchodilator	113
WHEATLEY, David: Sodium cromoglycate in aerosol form in regular users of bronchodilator drugs	333
WHITESIDE, M. W.: A controlled study of benzodamine oral rinse ('Difflam') in general practice	188
WILLIAMSON, C. M.: Clinical evaluation of piroxicam in acute musculoskeletal injuries seen in general practice	622
WOJTULESKI, J. A., and WALTER, J.: Treatment of sleep disturbance in arthritis with chlormezanone	456
WÖLTJE, M., and HUCHZERMAYER, H.: The effect of pinaverium bromide (LA 1717) on the lower oesophageal sphincter	142
WRAIGHT, E. P., and SEAMAN, M. J.: Reduced faecal blood loss in patients receiving choline magnesium trisalicylate ('Trilisate') when compared with aspirin	354
WRAY, Richard, BENTON, K. G. F., WHITEHILL, Doris, WRIGHT, Barbara, WEENER, W., and WHITTINGTON, J. R.: Comparative clinical trial of betemetizide/triamterene and cyclopentiazide/potassium chloride combinations in patients with mild to moderate hypertension	665
ZUCCOLLO, Ruggero, MACKINNON, Murray J., FRASER, Katherine M., HALL, Susan M., and PALMER, David G.: Oxaprozin and sulindac in rheumatoid arthritis: a double-blind comparative trial	302
ZULKIFLI, FACHRI, H., EFIATY, S., YUNISAF, Mariana H., and ISKANDAR, Nurbaiti: A comparative study of spiramycin and erythromycin in acute tonsillo-pharyngitis	708

**Subject**

	Page
Acetbutolol, in hypertension, compared with atenolol	570
-, hydrochlorothiazide/amiloride combination	39
'Actifed' Compound, in acute cough in children, compared with 'Pholcolix'	594
Alfacalcidol, use in post-menopausal osteoporosis	701
Aminophylline, in asthma, compared with clenbuterol	113
Amoxycillin, in acute respiratory tract infections in children, compared with erythromycin and co-trimoxazole	67
-, in home and hospital-acquired infections, compared with cefaclor	1
Ampicillin, in acute gonorrhoea, compared with mezlocillin and procaine penicillin G	247
-, in urinary infections, compared with sulfamethopyrazine/trimethoprim combination	338
Analgesics and anti-inflammatory agents, aspirin	9, 197, 354, 412
-, benoxaprofen	461
-, choline magnesium trisalicylate	354
-, ciramadol	290, 481
-, dextropropoxyphene/paracetamol combination	54
-, diclofenac	350
-, fentiazac	310, 675
-, glafenine	562
-, glucametacin	321
-, glucosamine	145
-, ibuprofen	145, 315, 350, 461
-, indomethacin	197, 295, 461, 675
-, ketoprofen	321
-, meptazinol	54, 191
-, naproxen	89, 204, 417, 461, 524, 612, 689
-, nimesulide	487
-, orphenadrine/paracetamol combination	531
-, oxaprozin	302, 689
-, paracetamol	191
-, paracetamol/metoclopramide combination	547
-, phenylbutazone	675
-, piroxicam	434, 461, 612, 618, 622
-, proglumetacin	14, 89, 524
-, sodium meclofenamate	417
-, sulindac	302, 310, 315, 434
-, tiapride	562
-, tiaprofenic acid	215, 295, 461
-, tilcotil	9, 412
-, zomepirac	382
Antibiotics and antibacterial agents, amoxycillin	1, 67
-, ampicillin	247, 338
-, azlocillin	577
-, cefaclor	1
-, cefotaxime	104
-, cefoxitin	44
-, ceftazidime	266
-, cephadrine	5
-, co-trimoxazole	67
-, erythromycin	67, 708
-, metronidazole	441
-, mezlocillin	247, 577
-, netilmicin	97, 260
-, piperacillin	577
-, pivampicillin/pivmecillinam combination	82
-, pivmecillinam	82
-, spiramycin	000
-, sulfamethopyrazine/trimethoprim combination	338
-, sulfamoxole/trimethoprim combination	128
-, ticarcillin	577
Antidepressive agents, bromocriptine	150
-, imipramine	150

	Page
-, mianserin	282
-, nortriptyline	282
Antihypertensive agents, acebutolol	39, 570
-, atenolol	493, 570
-, azepexole	405
-, bemetizide/triamterene combination	425, 665
-, bendrofluazide	645
-, bumetanide	645
-, clonidine	274
-, cyclopentiazone/potassium combination	75, 253, 665
-, frusemide	208
-, hydrochlorothiazide/amiloride combination	39, 75, 120
-, indapamide	493
-, indoramin	51, 603
-, methyldopa	720
-, nifedipine	139
-, piretanide	649
-, propranolol	274, 603, 720
-, timolo/hydrochlorothiazide/amiloride combination	253
-, xipamide	208, 645
Aprotinin, allergic reactions	559
Aspirin, faecal blood loss, compared with choline magnesium trisalicylate	354
-, tilcotil	9, 412
-, in rheumatoid arthritis, combined with indomethacin	197
Atenolol, in hypertension, compared with acebutolol	570
-, alone and combined with indapamide	493
Azepexole, antihypertensive effects	405
Azlocillin, <i>in vitro</i> activity, compared with ticarcillin, piperacillin, mezlocillin	577
Beclometasone dipropionate, in hay fever	659
Bemetizide/triamterene combination, in hypertension	425
-, compared with cyclopentiazone/potassium combination	665
Bendrofluazide, hypotensive effects, compared with bumetanide and xipamide	645
Benoxyprofen, in osteoarthritis, compared with five other anti-inflammatory analgesics	461
Benzydamine, in sore throat	188
Betamethasone-17,21-dipropionate, in psoriasis, compared with budesonide	171
-, compared with budesonide and betamethasone-17-valerate	475
Betamethasone-17-valerate, in psoriasis, compared with budesonide and betamethasone-17,21-dipropionate	475
Bezafibrate, in hyperlipoproteinæmia	358
Bromazepam, in anxiety, benefit/risk assessment	683
Bromocriptine, in depression, compared with imipramine	150
Bronchospasm relaxants, aminophylline	113
-, clenbuterol	113
-, ipratropium bromide	242
-, salbutamol	242, 345, 634
-, sodium cromoglycate	333, 553
Budesonide, in psoriasis, compared with betamethasone-17,21-dipropionate	171
-, betamethasone-17-valerate and betamethasone-17,21-dipropionate	475
Buflomedil, in arterial occlusive disease, haemodynamic and haemorheological effects	178
Bumetanide, hypotensive effects, compared with bendrofluazide and xipamide	645
Cefaclor, in bacterial infections, compared with amoxycillin	1
Cefotaxime, in hospital infections	104
Cefoxitin, in paediatric infections	44
Ceftazidime, in urinary tract infections	266
Cephadrine, preoperative, gall bladder wall and bile concentrations	5
Chlormezanone, in anxiety, compared with diazepam	33
-, in sleep disturbance	22, 456
-, compared with temazepam	28
Choline magnesium trisalicylate, faecal blood loss, compared with aspirin	354
Cicloxicilic acid, effect on bile lipids	472
Cinnarizine, prophylaxis of car sickness in children	451

	Page
Ciramadol, in post-episiotomy pain	481
... in renal colic	290
Clenbuterol, in asthma, compared with aminophylline	113
Clobetasol propionate, in chronic hand eczema, compared with fluprednide acetate	640
... in psoriasis	154
Clonidine, in hypertension, compared with propranolol	274
Conjugated oestrogens, in menopausal hot flushes, compared with veralipride	696
Co-trimoxazole, in acute respiratory tract infections in children, compared with erythromycin and amoxycillin	67
Cyclopentthiazide/potassium combination, in hypertension, compared with hydrochlorothiazide/amiloride combination	75
... betamethizide/triamterene combination	665
... timolol, hydrochlorothiazide/amiloride combination	253
Dermatological agents, betamethasone-17,21-dipropionate	171, 475
... betamethasone-17-valerate	475
... budesonide	171, 475
... clobetasol propionate	154, 640
... dithranol/urea combination	446
... fluprednide acetate	640
Dextropropoxyphene/paracetamol combination, in painful conditions, compared with meptazinol	54
Diclofenac, in painful stiff shoulder, compared with ibuprofen	350
Digoxin, possible interaction with pinaverium bromide	600
'Dimotapp', in secretory otitis media, compared with sodium cromoglycate	392
Disopyramide, plasma levels	582
Dithranol/urea combination, in psoriasis	446
Diuretics, withdrawal risks	501
Enteral feed preparation ('Nutrauxil'), metabolic studies	536
Erythromycin, in acute respiratory tract infections in children, compared with amoxycillin and co-trimoxazole	67
... in acute tonsillo-pharyngitis, compared with spiramycin	708
Fentiazac, in osteoarthritis and tendinitis, compared with indomethacin	675
... in rheumatoid arthritis, compared with sulindac	310
Flunitrazepam, in sleep disturbance	543
... compared with triazolam	714
Fluprednide acetate, in chronic hand eczema, compared with clobetasol propionate	640
Furosemide, in oedema of renal disease, compared with xipamide	208
Glafenine, in acute rheumatic pain, compared with tiapride	562
Gliclazide, in diabetes mellitus, effect on platelet function	200
Glucametacin, in chronic arthropathies, compared with ketoprofen	321
Glucosamine, in osteoarthritis of the knee, compared with ibuprofen	145
Hydrochlorothiazide/amiloride combination, in hypertension, compared with cyclopentthiazide/potassium combination	75
... compared with acebutolol	39
... potassium conservation	120
Hydroxyapatite compound, in prevention of osteoporosis	734
Hypnotics, sedatives and tranquillizers, bromazepam	683
... chlormezanone	22, 28, 33, 456
... diazepam	33
... flunitrazepam	543, 714
... loprazolam	368, 626
... nitrazepam	368
... temazepam	28
... triazolam	714
Ibuprofen, in osteoarthritis, compared with sulindac	315
... five other anti-inflammatory analgesics	461
... glucosamine	145
... in painful stiff shoulder, compared with diclofenac	350

	Page
Imipramine, in depression, compared with bromocriptine	150
Indapamide, in hypertension, compared with and combined with atenolol	493
Indomethacin, in osteoarthritis, compared with tiaprofenic acid	295
—, five other anti-inflammatory analgesics	461
—, in osteoarthritis and tendinitis, compared with fentiazac	675
—, in rheumatoid arthritis, use with aspirin	197
Indoramin, pharmacokinetics	51
—, in severe hypertension, compared with propranolol	603
Ipratropium bromide, in asthma, compared with salbutamol	242
Ketoprofen, in chronic arthropathies, compared with glucametacin	321
Loprazolam, in insomnia	626
—, compared with nitrazepam	368
Meptazinol, in painful conditions, compared with dextropropoxyphene/paracetamol combination	54
—, compared with paracetamol	191
Metergoline, in hyperprolactinaemia	327
Methyldopa, effect on left ventricular function, compared with propranolol	720
Metronidazole, in children undergoing appendicectomy	441
Mezlocillin, in acute gonorrhoea, compared with ampicillin and procaine penicillin G	247
—, <i>in vitro</i> activity, compared with piperacillin, azlocillin, ticarcillin	577
Mianserin, in depression, compared with nortriptyline	282
Naproxen, in juvenile chronic arthritis	204
—, in osteoarthritis, compared with oxaprozin	689
—, five other anti-inflammatory analgesics	461
—, in rheumatoid arthritis, compared with piroxicam	612
—, proglumetacin	89, 524
—, sodium meclofenamate	417
—, in rheumatic conditions, replacement for phenylbutazone and oxyphenbutazone	61
Netilmicin, in hospital infections	97
—, prophylactic use in surgery	260
Nifedipine, immediate hypotensive effect	139
Nimesulide, in acute respiratory tract infections, use with antibiotics	487
Nitrazepam, in insomnia, compared with loprazolam	368
Nortriptyline, in depression, compared with mianserin	282
Oestrogens, conjugated, in menopausal hot flushes, compared with veralipride	696
Oral contraceptives, triphasic, clinical experience	395
Orphenadrine/paracetamol combination in myalgia	531
Oxaprozin, in osteoarthritis, compared with naproxen	689
—, in rheumatoid arthritis, compared with sulindac	302
Paracetamol, in painful conditions, compared with meptazinol	191
Paracetamol/metoclopramide combination, in arthritis	547
Phenytoin, use in neurotic disorders	134
'Pholcolix', in acute cough in children, compared with 'Actifed' Compound	594
Pinaverium bromide, effect on lower oesophageal sphincter	142
—, possible interaction with digoxin	600
Piperacillin, <i>in vitro</i> activity, compared with ticarcillin, azlocillin, mezlocillin	577
Piretanide, in hypertension	649
Piroxicam, in acute musculoskeletal injuries	622
—, in osteoarthritis, compared with sulindac	434
—, compared with five other anti-inflammatory analgesics	461
—, in osteoarthritis and rheumatoid arthritis	618
—, in rheumatoid arthritis, compared with naproxen	612
Pivmecillinam, in recurrent bacteriuria, alone and combined with pivampicillin	82
Proglumetacin, in chronic rheumatic disorders	14
—, in rheumatoid arthritis, compared with naproxen	89, 524
Propranolol, in hypertension, compared with clonidine	274
—, indoramin	603
—, effect on left ventricular function, compared with methyldopa	720

	Page
Reagent strips, diagnostic, for urine specific gravity measurement	375
Salbutamol, in asthma, compared with ipratropium bromide	242
-, in chronic airflow obstruction	345
-, plasma concentrations	634
Smectite, in experimental infectious diarrhoea in the rabbit	233
Sodium cromoglycate, in asthma	553
-, in regular users of bronchodilators	333
-, in secretory otitis media, compared with 'Dimotapp'	392
Spiramycin, in acute tonsillo-pharyngitis, compared with erythromycin	708
Sulfamethopyrazine/trimethoprim combination, in urinary tract infections, compared with ampicillin	338
Sulfamoxole/trimethoprim combination, <i>in vitro</i> studies	128
Sulindac, in osteoarthritis, compared with ibuprofen	315
-, piroxicam	434
-, in rheumatoid arthritis, compared with fentiazac	310
-, oxaprozin	302
Sulcotildil, in migraine	631
Temazepam, in sleep disturbance, compared with chloramezanone	28
Tiaprile, in acute rheumatic pain, compared with glafenine	562
Tiaprofenic acid, in osteoarthritis, compared with indomethacin	295
-, in osteoarthritis and rheumatoid arthritis	215
-, compared with five other anti-inflammatory analgesics	461
Ticarcillin, <i>in vitro</i> , activity, compared with piperacillin, azlocillin, mezlocillin	577
Ticlopidine, in diabetes mellitus	518
Tileotil, faecal blood loss, compared with aspirin	9, 412
Timolol/hydrochlorothiazide/amiloride combination, in hypertension, compared with cyclopentthiazide/potassium combination	253
Triazolam, in sleep disturbance, compared with flunitrazepam	714
Veralipride, in menopausal hot flushes, compared with conjugated oestrogens	696
Xipamide, hypotensive effects, compared with bumetanide and bendrofluazide	645
-, in oedema of renal disease, compared with frusemide	208
Zomepirac, in painful conditions	382

## Supplements to Volume 8

### Supplement No. 1. Controversies in the treatment of hypertension

	Suppl. page
Introduction. <i>J. P. R. MacFarlane</i>	3
Antihypertensive therapy in patients above age 60 years. Eighth Interim Report of the European Working Party on High Blood Pressure in the Elderly (EWPHE). <i>A. Amery, K. Beard, W. Birkenhäger et al.</i>	5
Isolated systolic hypertension in the elderly. <i>W. McFate Smith</i>	19
Management of hypertension in the elderly. <i>Franz H. Messerli</i>	30
The treatment of hypertension in pregnancy. <i>M. P. Moore and C. W. G. Redman</i>	39
The Medical Research Council trial of treatment for mild hypertension. <i>W. E. Miall, Gillian Greenberg and P. J. Brennan</i>	47
Methyldopa: an intra-arterial assessment. <i>B. A. Gould, R. S. Hornung, H. A. Kieso, P. M. M. Cashman and E. B. Raftery</i>	57
Improvement in left ventricular function after chronic treatment with methyldopa in hypertensive patients with left ventricular hypertrophy. <i>A. Lahiri, T. N. Sonecha, J. C. W. Crawley and E. B. Raftery</i>	59
Discussion. Chairman: <i>J. P. R. MacFarlane</i>	67

## Supplement No. 2. 'Osmosin': a new, continuously acting anti-arthritis

	Suppl. page
Innovations in drug delivery systems. <i>Klaus Heilmann</i> -	3
Pharmacokinetics and pharmacodynamics of drug delivery. <i>Donald S. Robinson</i> -	10
Evolution and design of 'rate controlled' osmotic forms. <i>Felix Theeuwes</i> -	20
The evolution of precision drug delivery. <i>Kenneth R. Heimlich</i> -	28
Biopharmaceutical evaluation of 'Osmosin'. <i>J. D. Rogers</i> -	38
Discussion. <i>Chairman: M. E. Jaffe</i> -	47
Efficacy and tolerance of a novel precision-dose formulation of indomethacin: double-blind trials in rheumatoid arthritis and osteoarthritis. <i>Arthur M. Bobrove and Andrei Calin</i> -	55
'Osmosin': a multi-centre evaluation of a technological advance in the treatment of osteoarthritis. <i>Anthony R. Rhymer, Judith A. Sromovsky, Carlos Dicenta and Christine B. Hart</i> -	62
'Osmosin' (sodium indomethacin trihydrate) in the treatment of elderly patients with osteoarthritis. <i>Christine B. Hart, Kenneth F. Tempore, Judith A. Sromovsky and Anthony R. Rhymer</i> -	72
Clinical evaluation of 'Osmosin' versus piroxicam. <i>G. Gallacchi and F. Strolz</i> -	83
A double-blind comparison of 'Osmosin', ibuprofen and placebo in the treatment of osteoarthritis. <i>P. Williams, P. Williams, W. J. C. Currie and M. J. VandenBurg</i> -	90
'Osmosin' in general practice: preliminary report of a double-blind study in the treatment of osteoarthritis. <i>J. H. Young and W. J. C. Currie</i> -	99
'Osmosin' in rheumatoid arthritis: interim results. <i>A. Young, C. Rodriguez, M. J. VandenBurg and W. J. C. Currie</i> -	109

Supplement No. 3. IXth International symposium on indapamide  
(also available in French edition)

	Suppl. page
Conjugated catecholamines and their measurement: some pharmacokinetic aspects. <i>Otto Kuchel and Nguyen T. Buu</i> -	3
The possible mode of action of indapamide: a review. <i>D. B. Campbell</i> -	9
Effect of indapamide on volume-dependent hypertension, renal haemodynamics, solute excretion and proximal nephron fractional reabsorption in the dog. <i>Thomas J. Burke, Eileen M. Nobles, Peter S. Wolf and Abby L. Erickson</i> -	25
Correction of altered noradrenaline reactivity in essential hypertension by indapamide. <i>M. Grimm, P. Weidmann, A. Meier, G. Keusch, W. Ziegler, Z. Glück and C. Beretta-Piccoli</i> -	38
Diuretic and cardiovascular effects of indapamide in hypertensive subjects: a dose-response curve. <i>Frans H. H. Leenen, Donna L. Smith, Walther H. Boer and Ana Marquez-Julio</i> -	47
Diuretic treatment in essential hypertension. <i>R. I. Ogilvie</i> -	53
Indapamide in the treatment of essential arterial hypertension: results of a controlled study. <i>Gérard E. Plante and Claude Robillard</i> -	59
Indapamide versus hydrochlorothiazide in essential hypertension: measurement of peripheral resistance using plethysmography. <i>Richard Ogilvie, Serge Langlois and John Kreeft</i> -	67
Indapamide for out-patient treatment of hypertension: modifications in serum catecholamine levels. <i>Marc Houde and Serge Carrrière</i> -	68
Treatment of mild hypertension and the problem of compliance. <i>Gaddo Onesti</i> -	77
Antihypertensive effect of indapamide with special emphasis on renal prostaglandin production. <i>M. LeBel, J. H. Grose, L. J. Belleau and S. Langlois</i> -	81
The treatment of hypertension with indapamide alone or in combination with other drugs. <i>Guy Lemieux and Catherine L'Homme</i> -	87
Indapamide in the stepped-care treatment of obese hypertensive patients. <i>Rudolf E. Noble, Edmund L. Webb, John C. Godfrey, Martin Zisblatt, R. A. Vukovich and E. S. Neiss</i> -	93
Indapamide in hypertension: results of a French multi-centre study in ambulant subjects. <i>A. Mimran, J. J. Zambrowski and T. Coppolani</i> -	105
Multi-centre clinical investigation of indapamide in the United States: a review. <i>R. A. Vukovich, M. Zisblatt, F. Caruso, M. Losi, J. Barton, W. E. Schotz, E. Webb, J. Eff, R. Bronstein and E. S. Neiss</i> -	109

	Suppl. page
Effects of indapamide and various diuretics alone or combined with beta-blockers on serum lipoproteins. <i>Peter Weidmann, Mario G. Bianchetti and Rubino Mordasini</i>	123
Effects of the acute and chronic administration of indapamide on systemic and renal haemodynamics in essential hypertension. <i>H. Villarreal, E. Nuñez-Poissot, M. C. Anguas, L. Degandarias and U. Meza</i>	135
The place of indapamide in the treatment of arterial hypertension. <i>A. Thénot</i>	140
 <i>Supplement No. 4. Rational prescribing of benzodiazepines</i> (summaries also in French, German and Spanish)	
	Suppl. page
Introduction. <i>Linford Rees</i>	3
A cross-national comparison of anti-anxiety/sedative drug use. <i>M. B. Balter, D. I. Manheimer, G. D. Mellinger and E. H. Uhlenhuth</i>	5
Anti-anxiety agents: duration of use and characteristics of users in the U.S.A. <i>G. D. Mellinger, M. B. Balter and E. H. Uhlenhuth</i>	21
Anxiety disorders: prevalence and treatment. <i>E. H. Uhlenhuth, Mitchell B. Balter, Glen D. Mellinger, Ira H. Cisin and Janice Clinthorne</i>	37
The dependence potential of benzodiazepines. <i>H. de Wit, C. E. Johanson and E. H. Uhlenhuth</i>	48
Pharmacokinetics of benzodiazepines: metabolic pathways and plasma level profiles. <i>R. Jochemsen and D. D. Breimer</i>	60
Benzodiazepine drug-drug interactions commonly occurring in clinical practice. <i>Darrell R. Abernethy, David J. Greenblatt, Hermann R. Ochs and Richard I. Shader</i>	80
Long-acting and short-acting benzodiazepines in the elderly: kinetic differences and clinical relevance. <i>R. Bandera, P. Bollini and S. Garattini</i>	94
Methodology required to show clinical differences between benzodiazepines. <i>M. Ansseau, A. Doumont and St. Diricq</i>	108
Benzodiazepines in the treatment of acute anxiety. <i>Layton McCurdy</i>	115
Short-term versus long-term benzodiazepine therapy. <i>Malcolm Lader</i>	120

